

**SECTION 02 10 00****STORAGE, CONTAMINATION & DRAINAGE**

Last Updated: January 3, 2012

**Part 1 GENERAL**1.1 Section Includes

- A. Requirements regarding storage of materials or materials on District lands or interest in lands.
- B. Requirements regarding contamination of District lands, interest in lands, or water supply.

**Part 3 EXECUTION**3.1 Storage of Equipment or Materials

- A. Equipment or materials shall not be stored on District access roads, or other access areas, unless specific written approval is given by the General Manager. All persons or entities using access roads shall coordinate with the District to allow District personnel access to any access roads.

3.2 Contamination of Water Supply

- A. Water conveyed by the SLA and POMA is used in a municipal and industrial water supply. The Grantee shall not introduce pollutants or place foreign materials of any kind in water conveyance facilities. In the event of a Hazardous Material spill, or if there is any release of materials into the water that may affect the operation of the SLA or POMA, the Grantee shall notify the District immediately.

3.3 Hazardous Materials, Pesticides, Pollutants

- A. Storage, handling, use, or transportation of Hazardous Materials is strictly forbidden on or adjacent to any District right of way without the prior written permission of the General Manager. All state, federal and local statutes, rules, regulations and ordinances concerning the use of Hazardous Materials, insecticides, herbicides, fungicides, rodenticides, and other similar substances shall be strictly observed
- B. Prior to the use of Hazardous Materials, insecticides, herbicides, fungicides, rodenticides, and other similar substances on or adjacent to District rights of way, the Grantee shall obtain, from the General Manager, approval of a written plan for such use. The plan shall state the type and quantity of material to be used, the pest to be controlled, the method of application, and such other information as may be required. All use of such substances on or near the Aqueduct Corridors shall be in accordance with the approved plan. If the use of a substance is prohibited by the Environmental Protection Agency, it shall not be used. If use of a substance is limited by the Environmental Protection Agency, it

shall be used only in accordance with that limitation.

C. Drainage From or Onto Aqueduct Corridors

1. Existing drainage over and from Aqueduct Corridors must be maintained at all times. Any erosion from construction, operation, maintenance or use activities must be controlled at all times. No new concentration of surface or subsurface drainage may be directed onto or under the Aqueduct Corridors without a showing of adequate provisions for removal of drainage water, and the specific prior written approval of the District